Profiles™ Steel

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Avonlea Glass, Door – 1034HD, Sidelites – 1031SLHD, Transom – AVRT

Traditions Steel

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door – TS118
Bottom: Traditions, Clear Glass with SDLs, Doors – TS263

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 230–235.

Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.

10 YEAR LIMITED WARRANTY
Door & Glass

Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.

All 8'0" doors are 24-gauge steel with standard embossments.

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass

■ = Available • = Not Applicable P = Paint	Profiles™	Traditions
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	15	15
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Additional Options		
Finish	P	P

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see Full-Line Catalog

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
**Decorative glass designs are shown in Profiles only.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**

Black Nickel

Brushed Nickel

Blackstone®
Glass Privacy Rating: **7**

Black Nickel

Brushed Nickel

Crystalline™
Glass Privacy Rating: **7**

Black Nickel

Brushed Nickel

Sedona
Glass Privacy Rating: **7**

Wrought Iron

Salinas®
Glass Privacy Rating: **10**

Black Nickel

Brushed Nickel

Maple Park®
Glass Privacy Rating: **6**

Black Nickel

Avonlea®
Glass Privacy Rating: **4**

Black Nickel

Brushed Nickel

Saratoga™
Glass Privacy Rating: **7**

Brushed Nickel

Texas Star
Glass Privacy Rating: **5**

Black Nickel

Brushed Nickel

Brass

Wellesley™
Glass Privacy Rating: **6**

Wrought Iron

Riserva™
Glass Privacy Rating: **10**

Black Nickel

Brushed Nickel

Brass

Concorde™
Glass Privacy Rating: **8**

Black Nickel

Brushed Nickel

Kensington™
Glass Privacy Rating: **8**

Black Nickel

Brushed Nickel

Brass

Pembridge™
Glass Privacy Rating: **7**

Black Nickel

Axis™
Glass Privacy Rating: **7**

Frosted Images®
Glass Privacy Rating: **8**

Internal Blinds, Screen Vented
See Full-Line Catalog

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Privacy & Textured Glass

Geometric (XG)
Glass Privacy Rating: **7**

Satin Etch (XE)
Glass Privacy Rating: **10**

Chord (XC)
Glass Privacy Rating: **10**

Chinchilla (XJ)
Glass Privacy Rating: **10**

Rainglass (XR)
Glass Privacy Rating: **8**

Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear Opaque

Also Available:

Divided Lites

Clear Glass

Note: See Full-Line Catalog for important product details that may help with your purchase decision.
Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone®

310
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1037HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

309HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1001HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1117HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

311HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1025HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

310SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1037SLHD
12"x 6'8"
14"x 6'8"

311SLHD
12"x 6'8" ‡
14"x 6'8" ‡

BSHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™

916
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1042HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

926HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

991HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1119HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

930HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1055HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Crystalline Glass *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available

Crystalline™ Glass ◆ ⁘ *Continued*

916SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

956SLHD
12"x 6'8"
14"x 6'8"

930SLHD
12"x 6'8" ‡
14"x 6'8" ‡

BLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19800T
3'0" Door Only

19810T
12" & 14" Sidelite Only

Sedona ◆ ⁘

139
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

965HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

211HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

996HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1114HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

294HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

604HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

139SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

965SLHD
12"x 6'8"
14"x 6'8"

294SLHD
12"x 6'8" ‡
14"x 6'8" ‡

19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Salinas®

Note: Product images show exterior side of door.



369
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

968HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

374HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1002HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1115HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

371HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

369SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

971SLHD
12"x 6'8"
14"x 6'8"

371SLHD
12"x 6'8" ‡
14"x 6'8" ‡

SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park®

1006
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1009HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1007HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1011HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1116HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1008HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

NEW

609HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

736HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1006SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1009SLHD
12"x 6'8"
14"x 6'8"

1007SLHD
12"x 6'8" ‡
14"x 6'8" ‡

FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Avonlea®

Note: Product images show exterior side of door.

1027
2'8"x 6'8" ‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8" ‡

1038HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1031HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1034HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1107HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1044HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1047HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1027SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1038SLHD
12"x 6'8"
14"x 6'8"

1031SLHD
12"x 6'8" ‡
14"x 6'8" ‡

AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™

610
2'6"x 6'8" ♙‡
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8" ‡

1039HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

613HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

988HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1112HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

615HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

602HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

707HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

610SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1039SLHD
12"x 6'8"
14"x 6'8"

615SLHD
12"x 6'8" ‡
14"x 6'8" ‡

19740T
3'0" Door Only



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Texas Star

1040HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1032HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1035HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1045HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1040SLHD
12"x 6'8"
14"x 6'8"

1032SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Wellesley™

620
2'6"x 6'8" ⅄‡
2'8"x 6'8" ⅄‡
2'10"x 6'8" ⅄‡
3'0"x 6'8" ⅄‡
3'6"x 6'8" ‡

1041HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

623HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

989HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1120HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

625HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1022HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley Glass *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR / HVHZ Options
- ⅄ 6'6" Height Available
- ‡ 7'0" Height Available

Wellesley™ Glass *Continued*

721HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

620SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1041SLHD
12"x 6'8"
14"x 6'8"

625SLHD
12"x 6'8" ‡
14"x 6'8" ‡

19720T
3'0" Door Only

19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

WLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Riserva™

Note: Product images show exterior side of door.

571
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

544HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

582HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

576HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

578HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

588HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

508HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS572SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

546SLHD
12"x 6'8"
14"x 6'8"

584SLHD
12"x 6'8" ‡
14"x 6'8" ‡

RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Concorde™

1028
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

967HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

426HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

999HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1118HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

430HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1024HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

735HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

454HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

416SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

967SLHD
12"x 6'8"
14"x 6'8"

430SLHD
12"x 6'8" ‡
14"x 6'8" ‡

CNHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™

626
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

03142HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

627HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

631HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1113HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

628HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

630HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington Glass *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Kensington™ Glass ◆ ⁘ *Continued*

626SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

966SLHD
12"x 6'8"
14"x 6'8"

628SLHD
12"x 6'8" ‡
14"x 6'8" ‡

KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™ ◆ ⁘ ❖

6500HD
2'4"x 6'8" ‡
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

6582HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6560HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

6565HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6568HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6572HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

6578HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW

6520HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

745HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

6570HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

6500SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6580SLHD
12"x 6'8"
14"x 6'8"

6565SLHD
12"x 6'8" ‡
14"x 6'8" ‡

6570SLHD
12"x 6'8" ‡
14"x 6'8" ‡

PBRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Axis™

Note: Product images show exterior side of door.

1651HD
2'4"x 6'8" ♙
2'6"x 6'8" ♙‡
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8" ‡

1644HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1660HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1657HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1659HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1662HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1650HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1643HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1651SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1644SLHD
12"x 6'8"
14"x 6'8"

1657SLHD
12"x 6'8" ‡
14"x 6'8" ‡

1643SLHD
12"x 6'8" ‡
14"x 6'8" ‡

AXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

Frosted Images®

206EHD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

985HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1110HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

289EHD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1021HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

138SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

289ESLHD
12"x 6'8" ‡
14"x 6'8" ‡

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR / HVHZ Options
- ♙ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see Full-Line Catalog.

128__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



108__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

961HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

262HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1123HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

982HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

263HD__
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

NEW

605HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW

606HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW

607HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW

608HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6720HD__SL
12"x 6'8"
14"x 6'8"

263SLHD__
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass

118__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

959HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

206HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

980HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1101__HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

104__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

*Features a gliding operation and sash locking system.
Note: See Full-Line Catalog for important product details that may help with your purchase decision.

289HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

601__HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

296HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

100__SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

959HD__SL
12"x 6'8"
14"x 6'8"

210SLHD__
12"x 6'8" ‡
14"x 6'8" ‡

296SLHD__
12"x 6'8" ‡
14"x 6'8" ‡

Internal Blinds

Note: Product images show exterior side of door.

130
2'4"x 6'8" ⅄
2'6"x 6'8" ⅄‡
2'8"x 6'8" ⅄‡
2'10"x 6'8" ⅄‡
3'0"x 6'8" ⅄‡
3'6"x 6'8" ‡

5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

132HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

984HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1121HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

131
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

130SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

5425SL
12"x 6'8"
14"x 6'8"

132SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Screen Vented Lites*

243HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1004HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1102HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

137
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- ⅄ 6'6" Height Available
- ‡ 7'0" Height Available

Clear Glass with Divided Lites

Note: For details on divided lite options, see Full-Line Catalog.

1201
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1202
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1203
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

128
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1200
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

108
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

2109HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

2110HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

2111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

961HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6023HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1122HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

262HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

982HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1123HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

263HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

115HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

605HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

606HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

607HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

608HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

752HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

255HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

236HD

2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

237HD

2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
(Scalloped Lite Frame)

1201SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1202SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1200SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

632SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1089SLHD

12"x 6'8"
14"x 6'8"

4572SLHD

12"x 6'8"
14"x 6'8"

6720SLHD

12"x 6'8"
14"x 6'8"

263SLHD

12"x 6'8" ‡
14"x 6'8" ‡

6184SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6185SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6186SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

198

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

1403HD

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1408HD

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

1405HD

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1406HD

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1411HD

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

704HD

2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

198SL

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1400SLHD

12"x 6'8"
14"x 6'8"

1405SLHD

12"x 6'8" ‡
14"x 6'8" ‡

19020T

3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied

19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied

19200T

3'0" Door Only
Grille Sticks Applied

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Clear Glass

118
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡

959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

206HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1101HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

104
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

289HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

105
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

1020HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

NEW

601HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

708HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

256HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

296HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

100SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

959SLHD
12" x 6'8"
14" x 6'8"

210SLHD
12" x 6'8" ‡
14" x 6'8" ‡

296SLHD
12" x 6'8" ‡
14" x 6'8" ‡

DLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19200T
3'0" Door Only

19210T
12" & 14" Sidelite Only

Solid Panel

969HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

978HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1005HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

205HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

203HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

210HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

100
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see Full-Line Catalog.

TS128_
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

TS108_
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

TS262_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS263_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

6184_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6185_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6186_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

632_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

TS263_SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass

TS118_
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

818_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS206_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS104_
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

TS289_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS296_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

100_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

818_SL
12"x 8'0"
14"x 8'0"

TS210_SL
12"x 6'8"
14"x 6'8"

TS296_SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 210.

XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- PVC Doorlite Frame*

Internal Blinds

Note: Product images show exterior side of door.

TS130
2'4"x 6'8" ♿
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS132
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8132
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS131
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

130SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

829SL
12"x 8'0"
14"x 8'0"

TS132SL
12"x 6'8"
14"x 6'8"

Screen Vented Lites*

TS243
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS137
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

Clear Glass with Divided Lites

Note: For details on divided lite options, see Full-Line Catalog.

TS1201
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

TS1202
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

TS1203
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

TS128
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

TS1200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

TS108
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

808
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

*Features a gliding operation and sash locking system.
Note: See Full-Line Catalog for important product details that may help with your purchase decision.

8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS262
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS263
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS115
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ⅄
3'0"x 6'8"

TS752
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8752
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS255
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS236
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8317
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS237
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
(Scalloped Lite Frame)

1201SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1202SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1200SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

632SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

828SL
12"x 8'0"
14"x 8'0"

TS263SL
12"x 6'8"
14"x 6'8"

6184SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86184SL
12"x 8'0"
14"x 8'0"

6185SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86185SL
12"x 8'0"
14"x 8'0"

6186SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86186SL
12"x 8'0"
14"x 8'0"

TS198
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ⅄
3'0"x 6'8"

TS1408
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- ⅄ 6'6" Height Available
- ‡ 7'0" Height Available

Clear Glass with Divided Lites *Continued*

TS1411
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS704
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8704
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

198SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

TS1405SL
12"x 6'8"
14"x 6'8"

Clear Glass

TS118
2'0"x 6'8"
2'4"x 6'8" ‡
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

818
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS206
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS104
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

TS289
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS105
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

TS708
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8708
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

TS256
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS296
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

100SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

818SL
12"x 8'0"
14"x 8'0"

TS210SL
12"x 6'8"
14"x 6'8"

TS296SL
12"x 6'8"
14"x 6'8"

19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19200T
3'0" Door Only

19210T
12" & 14" Sidelite Only

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Right Page: Traditions, Sedona Glass, Door – TS211, Sidelites – 139SL

Solid Panel

TS214

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

TS210

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

810

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS100

2'0"x 6'8"
2'4"x 6'8" ‡
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ‡
3'0"x 6'8"

800

2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Turtle Glass
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available
- PVC Doorlite Frame*

PULSE®

Modern design. Upbeat living.

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Not impact tested for use in multi-lite door style configurations.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.





The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.

LIFETIME LIMITED WARRANTY
Fiberglass

10 YEAR LIMITED WARRANTY
Steel

ENERGY STAR PARTNER

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Ari | Línea | Echo | Sidelites

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.

Geometric | Satin Etch | Chord | Chinchilla | Rainglass | Granite | Low-E

Decorative Glass

Available for Línea.

1 2 3 4 5 6 7 8 9

Available for Ari.



3 6 7 8 9

Available for Echo.

8 9

1 Blackstone®
2 Crystalline™
3 Sedona
4 Salinas®
5 Avonlea®
6 Saratoga™
7 Riserva™
8 Pembridge™
9 Axis™

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.

Flat Profile Lite Frame

Scrolled Profile Lite Frame

Right Page: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S81RXE

Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

• Available in full-lite sidelites only.
○ Available in Línea and Echo only.

Ari

Note: Product images show exterior side of door.



S2SN | S83SN



S2SG | S83SG



S2RS | S83RS



S2PB | S83PB

S2AX | S83AX



S2_ S2CL | S83_ S83CL

Línea

Note: Product images show exterior side of door.



S1LBS | S81LBS



S1BS | S81BS



S1RBS | S81RBS



S1LBL | S81LBL



S1BL | S81BL

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX


S1RBL

S81RBL


S1LSN


S1SN

S1RSN


S1LSA

S81LSA


S1SA

S81SA

S1RSA

S81RSA

S1LAV

S1AV

S1RAV


S1LSG

S81LSG


S1SG

S81SG


S1RSG

S81RSG


S1LRS

S81LRS


S1RS

S81RS

Línea *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Línea *Continued*



S1RRS | S81RRS



S1LPB | S81LPB



S1PB | S81PB



S1RPB | S81RPB



S1LAX | S81LAX



S1AX | S81AX



S1RAX | S81RAX



S1L_ S1LCL | S81L_ S81LCL



S1_ S1CL | S81_ S81CL



S1R_ S1RCL | S81R_ S81RCL

Echo

Note: Product images show exterior side of door.



S4LPB | S84LPB



S4PB | S84PB



S4RPB | S84RPB



S5LPB | S85LPB

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See Full-Line Catalog for important product details that may help with your purchase decision.



S5PB | S85PB



S5RPB | S85RPB

S86LPB

S86PB

S86RPB

S9LPB

S9PB

S9RPB

S8LPB

S8PB

S8RPB

S811LPB

S811PB

S811RPB

S810LPB

S810PB

S810RPB

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Echo *Continued*

Note: Product images show exterior side of door.



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX

S86LAX

S86AX

S86RAX

S9LAX

S9AX

S9RAX

S8LAX

S8AX

S8RAX

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See Full-Line Catalog for important product details that may help with your purchase decision.



S811LAX ◆

S811AX ◆

S811RAX ◆

S810LAX ◆

S810AX ◆

S810RAX ◆



S4L_ S4LCL✹ | S84L_ S84LCL✹



S4_ S4CL✹ | S84_ S84CL✹



S4R_ S4RCL✹ | S84R_ S84RCL✹



S5L_ S5LCL✹ | S85L_ S85LCL✹



S5_ S5CL✹ | S85_ S85CL✹



S5R_ S5RCL✹ | S85R_ S85RCL✹

S86L_ S86LCL✹

S86_ S86CL✹

S86R_ S86RCL✹

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

✹ Low-E Glass (LE)
◆ Black Nickel Caming (1D)

Echo *Continued*

Note: Product images show exterior side of door.



S9L_
S9LCL☀



S9_
S9CL☀



S9R_
S9RCL☀

S8L_
S8LCL☀



S8_
S8CL☀



S8R_
S8RCL☀

S811L_
S811LCL☀

S811_
S811CL☀

S811R_
S811RCL☀

S810L_
S810LCL☀

S810_
S810CL☀

S810R_
S810RCL☀



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.


S4570SL | S85927SL

S6130SL | S84586SL

S604SL


S6134SL | S85931SL

S6127SL

S602SL | S85932SL


S572SL | S8572SL


S6500SL | S86500SL

S1651SL | S81651SL


S601__SL
S601SL
S81086__SL
S81086SL

S86PBSL

S5PBSL | S85PBSL

S4PBSL | S84PBSL

S811PBSL

S810PBSL

S9PBSL

S10PBSL

S86AXSL


S5AXSL | S85AXSL

Sidelites *Continue on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite (No Impact)
  (6'8" only in 12" & 14")
  (8'0" only in 14")
- WBDR / HVHZ Options

Sidelites *Continued*

S4AXSL | S84AXSL

S811AXSL

S810AXSL

S9AXSL

S10AXSL

S86__SL
S86CLSL



S5__SL
S5CLSL | S85__SL
S85CLSL



S4__SL
S4CLSL | S84__SL
S84CLSL

S811__SL
S811CLSL

S810__SL
S810CLSL

S9__SL
S9CLSL

S10__SL
S10CLSL

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see Full-Line Catalog.

XG = Geometric	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
  (6'8" only in 12" & 14")
  (8'0" only in 14")

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See Full-Line Catalog for important product details that may help with your purchase decision.

Right Page: Pulse Ari, Axis Glass with Flat Lite Frame, Door – S2AX